





uesday, October 14, 2008, 11:03 am Coming Soon Check out the all-new NBCLosAngeles.com



Most Popular

Stories

Home > Investigations

News Home NewsLinks News Raw Today in LA National News Weird News Politics Investigations Technology Early Nightly With Brian Williams Newsconference

E-Mail Alerts Contact Us Advertise With Us SITE WEB Search Investigations E-Mail News Alerts Get breaking news GO daily headlines and



Site Index

Home Video News Olympic Zone As Seen on NBC4 Most Popular Stories Weather Forecast Traffic Report Entertainment Sports News

(Addressing school employee) It looks like you falsified them.

STEVE THOMA, PARENT: Why can't we have water for the kids that's safe?

GROVER: The investigation began when KNBC learned that parents like Steve Thoma were concerned about the water at Woodlake Elementary in Woodland Hills. His daughter says the teachers told the kids not to drink the water.

JOEL GROVER: It's 7:30 a.m. at Marvin Avenue Elementary, and the kids head right for the drinking fountains. What

they don't know is that some of the water there has dangerous amounts of lead. KNBC found contaminated water at

other schools too, and found some employees apparently falsifying records to make it look like the water is safe.

The following is a transcript of Joel Grover's report as it aired on KNBC on April 24, 2008, at 11 p.m.

THOMA: I was shocked. I said, "What are you talking about, you can't drink the water?"

GROVER: Thoma and others pushed the district to test the water at Woodlake. One fountain was found to have more than seven times what the EPA says is a safe level of lead. So KNBC decided to test the water at other schools across the city. Samples from 30 elementary schools were collected and tested for lead at the same state certified lab used by the school district. The results were analyzed by nationally known industrial hygienist Brian Daly of Hygiene Tech International

BRIAN DALY, INDUSTRIAL HYGIENIST: It is tainted water.

GROVER: The U.S. EPA says drinking water is unsafe if it has 15 parts per billion of lead or more. At Marvin Elementary, one fountain KNBC tested had 32 parts per billion. That's more than double the unsafe level of lead. Three of six fountains at Marvin tested above the safe level. At Gardener Elementary in Hollywood, one fountain tested in the kindergarten area had lead-laced water. And at Calvert Elementary in Woodland Hills, inside the nurse's office, KNBC tested the tap used to give kids water to take medications. It had more than two and a half times the acceptable amount of lead, levels that could have serious effects on children

Advice

Drive Smarter To Save

Health

Contests

Politics

Photo Galleries

Blogs Green Is Universal Community Events Financial News

Family Education Employment Food

House & Home Quake Safe Pros 4 You

Marketplace About KNBC

NBC Local Media Digital Tools Advertise With Us

http://www.knbc.com/investigations/15990784/detail.html



Site Index

Home
Video
News
Olympic Zone
As Seen on NBC4
Most Popular Stories
Weather Forecast
Traffic Report
Entertainment
Sports News

Health Contests Photo Galleries Politics Blogs Green Is Universal Community Events Financial News Family Education Employment Food House & Home Quake Safe Pros 4 You About KNBC NBC Local Media Digital Tools Advertise With Us

Other Local Partners

Disable Flyout

✓ Grocery Shopping
✓ Meet with Timmy's Teacher
✓ P/U Cirts from Soccer
✓ Check on Mom
✓ Earn Degree

Improve your life without interruptions.

CLICK HERE

CLICK HERE

ĎÄĽÝ: The effects of this water would be lower IQ, attention deficit, learning disabilities.

GROVER: Nine out of 30 schools KNBC tested, or 30 percent, had some fountains with unsafe levels of lead.

DAVID BREWER, LAUSD SUPERINTENDENT: The district is grateful to KNBC.

GROVER: Joel Grover asked Superintendent David Brewer to speak with him. After canceling a scheduled interview, Brewer instead called a news conference about the KNBC investigation.

BREWER: The safety and health of our kids is a priority.

GROVER: But an internal report KNBC obtained shows the district discovered 18 years ago it had at least 356 unsafe

fountains, with water that failed to meet the government lead standard. The fountains were made with lead that was leaching into the water. Instead of replacing most of the aging fountains, the district started a "flushing policy" requiring school custodians to flush or run every fountain before school every morning for at least 30 seconds, to flush out lead that accumulated. The custodians are also required to complete a daily flushing log every day.

BREWER: Compliance with flushing policy reduces the levels of lead in the water to federal standards

GROVER: During the past month, KNBC watched the fountains at five different schools, starting before sunrise. KNBC saw the custodians show up for work, and saw every one of them walk right by the fountains without ever flushing them. Two of them washed the basins of the fountains, but didn't flush them. KNBC saw kids drinking from those fountains all day. That was also the case at Reseda Elementary, where KNBC found a dangerous amount of lead in one fountain. On three separate days, KNBC saw the custodian pass fountains but never flush them. Those fountains were used all day. KNBC obtained the custodian's official flushing logs, and noticed he signed off that he flushed all the fountains on campus on the three days KNBC watched him, March 13, 26 and 27.

GROVER (TO CUSTODIAN): It appears you're falsifying these documents?

CUSTODIAN: No.

GROVER: The custodian also logged that he flushed the fountain on Martin Luther King Jr. Day and Presidents Day, when school was closed.

Grover (to custodian): Were you here at school on Martin Luther King Day and Presidents Day?

CUSTODIAN: I don't think so.

GROVER: Then why did you fill out these records?

CUSTODIAN: I don't know.

GROVER: KNBC also obtained the custodian's flushing log on April 1, but it was already filled out through April 2.

(Addressing custodian) We got these on April 1. They were already filled out for April 2. How do you explain that?

CUSTODIAN: I don't know.

GROVER: It was the same story at other schools, like Marvin Elementary, with those three dangerous fountains. The days KNBC watched the custodian, he didn't flush the fountains, but records show he signed his name that he did, leaving kids to drink water potentially tainted with lead. What did the superintendent think of KNBC's finding, that the flushing policy is often ignored?

BREWER: That possible failure by employees did not put any students in jeopardy.

GROVER: But according to Industrial Hygienist Brian Daly, drinking the water from unsafe fountains that aren't flushed could harm children.

DALY: These children, or a portion of these children, will have learning disabilities because of lead exposure.

GROVER: That's why parents, like Steve Thoma at Woodlake Elementary, are demanding the district take sweeping action to ensure the water is safe at all schools.

THOMA: No amount of lead is acceptable. So, we have to fix this problem and fix it now.

GROVER: So what does the school district have to say about what KNBC found?

BREWER: We will have our interview. I'm looking forward to it. And you'll be looking forward to it too.

Click here for an EPA guide to understanding lead in water at schools.

KNBC found higher than the EPA standard of lead at the following locations:

Alta Loma Elementary

Fountain located on the far side of the campus, across from the blacktop, parallel to handball courts. Lead Level 15

Finding Money To Save

Save Money By Growing Your Own Food

Should You Buy The Warranty?

A Frugal Shopper's Best Tip

Heading Off To College?
NBC.COM | MSNBC.COM |
CNBC.COM | UNIVERSAL
STUDIOS | ACCESS
HOLLYWOOD | IVILLAGE
BRAVOTV.COM |
USANETWORK.COM |
SCIFI.COM | NBC STATIONS |
REELTALKTV.COM |

TELEMUNDO 52

©2008 NBC Universal. Inc

Get RSS XML

ADVERTISEMENT

Color Business	Self Storage	Charter a
Cards	Los	Elite Jets
from \$35	Angeles	Los
		Angeles
		Porsche
		Dealer

All Balance Inclusive Transfers Jamaican Resorts News Home NewsLinks News Raw Today in LA National News Weird News

Politics

Technology

Early Nightly With

Newsconference

Brian Williams

Sink used for drinking water inside nurse's office. Lead Level 39

Fountain in Kindergarten area, located at back of school. Lead Level 21

Marvin Avenue Elementary

Calvert Elementary

Fountain located around the corner the front of gate. Lead Level 32

Fountain located behind a wall, dividing it from lunch tables and classrooms, tucked in a nook. Lead Level 22

Fountain located on far right side of campus, near boys and girls bathroom. Lead Level 19

Investigations

Fountain located in the cafeteria area, by the wall near lunch tables. Lead Level 16

Reseda Elementary

Fountain Between boys and girls bathroom near main office. Lead level 21

San Pedro Elementary

Fountain located to the left of classroom 17. Lead Level 17

Site Index

Home Video

Olympic Zone

As Seen on NBC4

Most Popular Stories Weather Forecast

Traffic Report Entertainment

Sports News Health Contests

Photo Galleries

Politics Bloas

Green Is Universal Community Events

Financial News

Family

Education

Employment Food

House & Home Quake Safe

Pros 4 You

About KNBC NBC Local Media

Digital Tools Advertise With Us

Other Local Partners

Disable Flyout

Saticoy Elementary

Fountain Located in front of playground blacktop. Lead Level 21

Woodlake Avenue Elementary

Fountain located on the east wall of building containing room 13, northwest of the administration building. Lead Level 32 (The school shut down this fountain in 9/07 after it tested to have an unsafe level of lead. KNBC found the fountain working again on 3/08 even though our test showed it still had a high level of lead.)

Here is an additional list of drinking fountains where the water had a significant amount of lead, but less than the USEPA's guideline of "unsafe." According to KNBC's lead expert Brian Daly, if a child drinks from these fountains frequently, they could ingest a significant amount of lead. Daly said these fountains should be on an LAUSD "watch list," meaning these fountains should be tested periodically to see if lead levels rise. Because pipes and fountains corrode over time, the lead level in the water could increase.

Alta Loma Elementary

White fountain located in Kindergarten area, to the right of classroom 20. Lead Level 14 Fountain located in Kindergarten area, to the right of classroom 22. Lead Level 12 Fountain located near handball courts. Lead Level 8.2

Bassett Elementary

Fountain in Kindergarten playground area. Lead Level 9.5

Calvert Elementary

Fountain to the left of cafeteria. Lead Level 9

Through the faculty gate, straight ahead and veer to left. Fountain is between 2 sets of portable classrooms under a mural painted on wall. On left side. Lead Level 7.3

Through the faculty gate, straight ahead and veer to left. Fountain is between 2 sets of portable classrooms under a mural painted on wall. This one is on right side. Lead Level 7

Marvin Elementary

Fountain located to the right of cafeteria window, near the lunch tables. Lead Level 11

Fountain located next to boys and girls bathroom, in the corner near two double doors. Lead Level 7.3

Fountain in Kindergarten area. Fountain is on the right if you are facing the wall. Lead Level 9.5

Fountain located near handicapped boys/girls bathroom. In the middle of bathroom, tucked in a nook off blacktop. To

the right of the fountain are two double doors into the school. Lead Level 13

San Pedro Elementary

Located on far left of second floor. Lead Level 8.8

Saticov Elementary

Fountain in Kindergarten area, next to room K-4. Lead Level 9

Vermont Elementary

Fountain in front of school, by jungle gym equipment. Lead Level 8.4

Explore More:

Find out more about Education, Elementary and High School Education, Elementary Education and Culture and Lifestyle, or try these articles:

- August 6, 2008: One Laptop Per Child Lands In India
- July 16, 2008: Schwarzenegger Launches 'School Finder' Site For Parents
- July 7, 2008: Administrators, Black Student Union To Discuss Yearbook Dispute
- May 1, 2008: LAUSD Water Investigation: School List
- April 29, 2008: Missing Documents Obtained In LAUSD Water Investigation

Copyright 2008 by KNBC.com and KNBC (NBC4 Los Angeles). All rights reserved. This material may not be published, broadcast,

Portions 2008 Internet Broadcasting Systems, Inc. All rights reserved.
Terms of Use | Privacy Policy |
Advertising Information | Contact Us News Home NewsLinks News Raw Today in LA National News Weird News Politics Investigations Technology Early Nightly With Brian Williams Newsconference



Please note by clicking on "Post Comment" you acknowledge that you have read the Terms of Service and the comment you are posting is in compliance with such terms. **Be polite**. Inappropriate posts may be removed by the moderator. Send us your feedback.

Site Index

Home Video

Olympic Zone

As Seen on NBC4

Most Popular Stories

Weather Forecast Traffic Report

Entertainment

Sports News

Health Contests

Photo Galleries

Politics Bloas

Green Is Universal

Community Events

Financial News

Family

Education

Employment

Food

House & Home

Quake Safe

Pros 4 You

About KNBC

NBC Local Media

Digital Tools Advertise With Us

Other Local Partners

Disable Flyout

Photo Galleries



Snake In Mailbox Bites Mailman

A Florida postal carrier is recovering after being bitten by a snake hidden inside a mailbox.

PhotoVote: Show Us Your 'Pets At The Park' We know it's not just dogs who love the park, so



this week PhotoVote invites you to share your best "Pets At The Park" photos. More

Gorilla Kills Offspring At Zoo

The White House's Most Memorable Kids

Competition Crowns Wife-Carrying Champ

New Celebrity Parents

Which Wagons Are Top For 2009?

NFL Cheerleaders

Athletes Who've Dabbled In Acting

Links We Like

Fibromyalgia

Understand The Signs Of

Sponsored Content Sponsored Links

Marine Accident Investigation We have investigated over 700 recreation Boat and PWC accidents.

Besieged by nagging aches and pains? You might have fibromyalgia. Read about the signs www.marineaccidentexperts.com and symptoms. More

Remodeling? Learn From The Pros



Here are 15 insider tips everyone should know clients for 18+ years. Member BBB. when it comes to remodeling a home. **More** roehlingandroehling.com

Roehling & Roehling Investigations
Full service investigative firm - Our experienced & professional staff has provided confidential, affordable and discrete services to 1000s of satisfied

Search For Homes In Foreclosure



Been reading stories about the increase in home foreclosures? In the market to invest? Search a national database of homes on the block. More

Learn About The Most Common Cancers



Learn about the most common cancers that could affect you and what you can do to prevent them. **More**

Like online video? Then you'll love Now See This

New Jersey Private Investigator Established in 1979, J&K Investigative Services Inc. provides free consultations, licensed investigators statewide/nationwide for all assignments.

Our most important asset is our reputation. www.jkinvestigativeservices.com

St. Thomas ParalegalCall Us for Paralegal, Security & Private Investigation Services. www.fifthavenue-37.com/

Moorpark Investigators
See a Complete List of Services on Our
Site! Surveillance/Background. www.merchantcircle.com/

- Wall Street Journal
- Time Magazine
- Business Magazines
- News Article

Find More: Search

News Home
NewsLinks
News Raw
Today in LA
National News
Weird News
Politics
Investigations
Technology
isee
Early Nightly With
Brian Williams
Newsconference

Site Index

Home
Video
News
Olympic Zone
As Seen on NBC4
Most Popular Stories
Weather Forecast
Traffic Report
Entertainment
Sports News
Health
Contests

Photo Galleries Politics Blogs Green Is Universal Community Events Financial News Family Education Employment Food House & Home Quake Safe Pros 4 You Marketplace About KNBC NBC Local Media Digital Tools Advertise With Us Other Local Partners Disable Flyout